

Message

---

**From:** Lin, James [lin.james@epa.gov]  
**Sent:** 9/29/2020 8:24:08 PM  
**To:** Went, Stephen [Wente.Stephen@epa.gov]; Blankinship, Amy [Blankinship.Amy@epa.gov]  
**Subject:** RE: Aldicarb GW results  
**Attachments:** updated GW EDWCs.docx

Please see results below. The word file is also attached.  
Advise if need more model runs.  
Thanks much.

**Ground Water Drinking Water Concentrations**

# Ex. 5 Deliberative Process (DP)

# Ex. 5 Deliberative Process (DP)

---

**From:** Wente, Stephen <Wente.Stephen@epa.gov>  
**Sent:** Tuesday, September 29, 2020 3:00 PM  
**To:** Lin, James <lin.james@epa.gov>; Blankinship, Amy <Blankinship.Amy@epa.gov>  
**Subject:** RE: Aldicarb GW results

Ex. 5 Deliberative Process (DP)

---

**From:** Lin, James <lin.james@epa.gov>  
**Sent:** Tuesday, September 29, 2020 2:54 PM  
**To:** Wente, Stephen <Wente.Stephen@epa.gov>; Blankinship, Amy <Blankinship.Amy@epa.gov>  
**Subject:** RE: Aldicarb GW results

The previous email with FL62 file.  
Thanks much.

---

**From:** Wente, Stephen <Wente.Stephen@epa.gov>  
**Sent:** Tuesday, September 29, 2020 2:53 PM  
**To:** Blankinship, Amy <Blankinship.Amy@epa.gov>; Lin, James <lin.james@epa.gov>  
**Subject:** RE: Aldicarb GW results

Jim:

## Ex. 5 Deliberative Process (DP)

Steve

---

**From:** Blankinship, Amy <Blankinship.Amy@epa.gov>  
**Sent:** Tuesday, September 29, 2020 2:43 PM  
**To:** Lin, James <lin.james@epa.gov>; Wente, Stephen <Wente.Stephen@epa.gov>  
**Subject:** RE: Aldicarb GW results

The proposed well set-back is 300ft, so we at least need to know the values at that distance. However, I would also think

### Ex. 5 Deliberative Process (DP)

**From:** Lin, James <[lin.james@epa.gov](mailto:lin.james@epa.gov)>

**Sent:** Tuesday, September 29, 2020 2:36 PM

**To:** Blankinship, Amy <[Blankinship.Amy@epa.gov](mailto:Blankinship.Amy@epa.gov)>; Wente, Stephen <[Wente.Stephen@epa.gov](mailto:Wente.Stephen@epa.gov)>

**Subject:** Aldicarb GW results

The results are tabulated below:

## Ex. 5 Deliberative Process (DP)

Thanks much.

**From:** Blankinship, Amy <[Blankinship.Amy@epa.gov](mailto:Blankinship.Amy@epa.gov)>

**Sent:** Tuesday, September 29, 2020 2:01 PM

**To:** Wente, Stephen <[Wente.Stephen@epa.gov](mailto:Wente.Stephen@epa.gov)>; Lin, James <[lin.james@epa.gov](mailto:lin.james@epa.gov)>

**Subject:** RE: aldicarb

Sounds good.

**From:** Wente, Stephen <[Wente.Stephen@epa.gov](mailto:Wente.Stephen@epa.gov)>

**Sent:** Tuesday, September 29, 2020 1:52 PM

**To:** Blankinship, Amy <[Blankinship.Amy@epa.gov](mailto:Blankinship.Amy@epa.gov)>; Lin, James <[lin.james@epa.gov](mailto:lin.james@epa.gov)>

**Subject:** RE: aldicarb

Jim is re-running the groundwater numbers based on the triangle method for 1 application and a 2 to 3 inch burial (the 2-inch values are about the same as the old values. When we have an official depth from BEAD, we can use that. We typically run pH 7 for most chemicals. I assume we have a history of running multiple pHs for this chemical since it varies with hydrolysis so greatly. I would assume we would use the pH 6 values, but maybe we should make sure there is some firm historical reason for using the pH 6 numbers (the pH 5 values would be even higher).

**From:** Blankinship, Amy <Blankinship.Amy@epa.gov>

**Sent:** Tuesday, September 29, 2020 12:27 PM

**To:** Lin, James <lin.james@epa.gov>; Wentz, Stephen <Wentz.Stephen@epa.gov>

**Subject:** aldicarb

Hi,

For easy reference, attached is the latest DWA numbers I have: **Ex. 5 Deliberative Process (DP)**

# **Ex. 5 Deliberative Process (DP)**

Amy Blankinship  
Branch Chief, ERB2  
USEPA – OCSPP/OPP/EFED  
703-347-8062